



325 PP Power Pack

Introduction

YONGAN power pack is manufactured to optimize the hydraulic pressure for a constant stability of the job performance on high efficiency of operation with YONGAN piling equipment. It is made by our high-tech CNC operated machinery. Open loop hydraulic system ensures easy assembly and maintenance. Equipped with high quality hydraulic pump and top brand engine, maximum efficiency and reliability is ensured. The power unit is using sound proof frame with heavy steel enclosure, noise levels are significantly reduced for a friendly operation environment. High cooling capacity of hydraulic system provides a stable hydraulic system and together with oversized radiator ensures no overheating problems. Hose power varies from 120P to 1320P for wide selection of YONGAN vibro hammer or impact hammer range.

Technical Parameters of 325PP Power Pack

This power pack, like others, has 24mpa operating pressure. And it use Cummins 6LTA8.9 C325 engine with 325hp engine power. The tank capacity is 1400L, while its fuel capacity is 500L. As showed in the table, this power pack's largest oil flow is 380L/min.

325PP Power Pack	Engine Type:	Cummins 6LTA8.9 C325
	Engine Power (HP)	325
	Operating Pressure (Mpa)	24
	Maximum Oil Flow (L/min)	380
	Hydraulic Oil Tank Volume (L)	1400

Yong'an Machinery Co., LTD.

Add: No.88 Qing Ao Hill, Haian Haiyang Industrial Park, Wenzhou, China, 325205.

Tel: +86-577-65278666 Fax: +86-577-65271769

E-mail: sales@yonganvibro.com



_	The state of the s		
		Fuel Tank Volume (L)	500

Advantages

1. Powerful diesel engine

Yongan hammer is equipped with Caterpillar or Cummins engine which generates greater productivity by higher horse power and torque ratings.

2. Rexroth Hydraulic pump

Yongan choose Rexroth hydraulic pump to obtain a great performance. We offer both fixed and variable displacement pump accordingly to customer's requirement.

3. Cooling system

Oversized radiator is used in yongan power pack ensures the power pack can work from -30° up to 50°.

4. Reliable filtration

Famous brand of filters are used to guarantee a long lasting efficiencies against contaminated oils and large amount of dust. It ensures filtration system for hydraulic and engine fuel system.

5. Manifold block utilize

Build-in manifold block is used for easy system control and supply accurate system flow and pressure to the machine.

6. Simple design of control panel

The power pack control panel is designed according to the easy operation principle and people's using habit. We are using indication gauge to showing electrical and hydraulic system.

7. Remote control

Remote control with the main functions as emergency stop, engine speed adjust, clamp on/off, vibro operation. It ensures operator control piling or extracting in a long distance from piling area.

Maintenances

- 1. Hydraulic oil should be changed in time.
- 2. Please check the tightness of the sealing elements regularly.
- 3. Oil tank should be tightly sealed to incoming of water and clutter.
- 4. Suction port of oil pump should be sealed to prevent air.

Payment and Delivery

30% deposit payment should be paid after assigning the contract. Full payment should be paid before delivery. Machine package and delivery can be arranged as you require.

Yong'an Machinery has 27 years' experience in hydraulic piling equipment manufacturing in China. Hydraulic impact hammer is widely used in construction of prefabricating casing pile foundation, large-scale sea-crossing concrete pile bridge and ferry pier. Our products

Add: No.88 Qing Ao Hill, Haian Haiyang Industrial Park, Wenzhou, China, 325205.

Tel: +86-577-65278666 Fax: +86-577-65271769

E-mail: sales@yonganvibro.com



take up to 70% of the whole China market. Our hydraulic pile hammer is widely used not only in China but also in oversea market such as Japan, Korea, Taiwan, Indonesia, Malaysia, Ecuador, Russia, Libya, Vietnam Ghana and Philippines. In order to meet the market requirement, New Yong'an Machinery in Fujian was established and it covers 13500m2 with advanced workshops and office building.

Add: No.88 Qing Ao Hill, Haian Haiyang Industrial Park, Wenzhou, China, 325205.

Tel: +86-577-65278666 Fax: +86-577-65271769

E-mail: sales@yonganvibro.com